

GLASIMO[®]

PROJECTS

NEW ON THE MARKET



find us on



MINI-CATALOGUE
BASIC RAILINGS


www.glasimo.eu

SOLID ALUMINIUM POST INSTALLATION FROM THE TOP

Option I: with glazing below the handrail




The basic railings system will ensure the safety of your family while not restricting the view from your house or apartment. The main part of the structure consists of solid aluminium posts. The pane is placed between the upper and lower glazing profiles. The system as a whole is completed with a dedicated handrail.



	LOAD	GLASS THICKNESS	MAX. HEIGHT	MAX. SPACING	MATERIAL	SURFACE
	0.5 - 1.0 kN/m	44.1 44.2 55.1 55.2	1200 mm	1200 mm	Aluminium T66	Anodised: natural; black; brush finish; powder coated

TECHNICAL DRAWING



MOUNTING ACCESSORIES




Anchors and gaskets

★ PREMIUM PRODUCTS ★



Digital Print

Printing on glass with ceramic paints



SentryGlas film


Safety and resistance of laminated glass

SOLID ALUMINIUM POST INSTALLATION FROM THE TOP

Option II: with glazing up to the height of the handrail




Balustrades on full aluminum posts allow for a panoramic view of the surrounding landscape. It is a combination of modern design with high quality workmanship and materials used, which ensures their durability and reliability.




	LOAD	GLASS THICKNESS	MAX. HEIGHT	MAX. SPACING	MATERIAL	SURFACE
	0.5 - 1.0 kN/m	44.1 44.2 55.1 55.2	1200 mm	1200 mm	Aluminium T66	Anodised: natural; black; brush finish; powder coated

TECHNICAL DRAWING



MOUNTING ACCESSORIES



Anchors and gaskets

★ PREMIUM PRODUCTS ★


Digital Print


Printing on glass with ceramic paints



SentryGlas film

Safety and resistance of laminated glass






SOLID ALUMINIUM POST INSTALLATION FROM THE SIDE


Option I: with glazing below the handrail

The option with glazing below the handrail was designed for customers who appreciate a distinctive design, while the option up to the height of the handrail is more appropriate for those opting for a simple, modern urban style. See all our products and choose something for yourself.




	LOAD	GLASS THICKNESS	MAX. HEIGHT	MAX. SPACING	MATERIAL	SURFACE
	0.5 - 1.0 kN/m	44.1 44.2 55.1 55.2	1500 mm	1200 mm	Aluminium T66	Anodised: natural; black; brush finish; powder coated

TECHNICAL DRAWING



MOUNTING ACCESSORIES



Anker und Dichtungen

★ PREMIUM PRODUCTS ★


Digital Print


Printing on glass with ceramic paints



SentryGlas film

Safety and resistance of laminated glass






SOLID ALUMINIUM POST INSTALLATION FROM THE SIDE

Option II: with glazing up to the height of the handrail

Railings are an ideal solution for avant-garde apartments, but also for terraces and balconies. Thanks to them, you can enjoy the view of the space around you, while maintaining safety. We invite you to familiarize yourself with our offer and choose a railing that will meet all your expectations.



LOAD
0.5 - 1.0 kN/m

GLASS THICKNESS
44.1
44.2
55.1
55.2


MAX. HEIGHT
1500 mm

MAX. SPACING
1200 mm

MATERIAL
Aluminium T66

SURFACE
Anodised: natural; black; brush finish; powder coated

TECHNICAL DRAWING



MOUNTING ACCESSORIES




Anchors and gaskets

★ PREMIUM PRODUCTS ★



Digital Print

Printing on glass with ceramic paints



SentryGlas film

Safety and resistance of laminated glass

GLASIMO[®]
PROJECTS

www.glasimo.eu